

MATERIAL SAFETY DATA SHEET

1. Product and Company Information

Trade Name	RUBBOSEAL
Application of the Preparation	Protective waterproofing membrane
Supplier	UNIWALL TEXTURES
Contact Tel. No.	+91-9825444672

2. Composition and Information on Ingredients

Description	Butyl Rubber is dissolved in hydro carbon with
	Imported Resins.

3. Hazards Identification

Hazards Hazardous

4. First Aid Measure

After Skin Contact	If splashed on the skin immediately wash thoroughly with fresh water. If the product has dried on the skin massage the area with medical grade mineral oil, then wash with soap and water. If irritation persists seek medical attention.
After Eye Contact	Flush Thoroughly with fresh water for at least ten minutes. Seek medical attention.
After Swallowing do not INGEST	DO NOT INDUCE VOMITING. Seek medical attention.

5. Firefighting Measures

Hazards	Not explosive, nor flammable.
Extinguishing Agent	Use CO2, dry chemical or alcohol
	resistant foam. If water is used, contain
	any run-off.

6. Accidental Release Measures

Environmental Protection	Avoid Spillage into sewers or surface
	water.
Measures for Cleaning / Collecting	Large Spills: Pump into plastic containers
	and rework / dispose as per local
	legislation.
	Small Spills: Use non-combustible
	absorbent and shovel into a suitable
	container for disposal.



7. Handling and Storage

Handling	Ensure good ventilation when using in confined
	areas.
Storage	Store in a cool dry place.
Training	This product does not require any special training
	before use.

8. Exposure Controls and Personal Properties

Hygienic Measures	Not Hazardous in normal use. Avoid contact with
	eyes and skin.
Personal Protective Equipment (PPE)	Eye protection: Safety glasses or splash goggles.
	Body Protection: Long Sleeves and loose clothing

9. Physical and Chemical Properties

Form	Liquid
Colour	Black, Grey, White
Odour	Slight resinous petroleum odour
Change in Condition	Boiling Point: 100°C (Water)
	Freezing Point: 0°C
рН	7
Specific Gravity	(mm Hg) 17 @ 20°C (Water)
Vapor Pressure	>1 (air=1)
Vapor Density	<1 (nBuAcetate=1)
Volatiles %	30-60 (water)
Solubility in Water	Insoluble

10. Stability and Reactivity

Stability	Stable under normal conditions

11. Toxicological Information

Primary Irritant Effects	On the Eye: Slightly irritating to eyes.
	On the Skin: Slightly irritating to Skin.
	Chronic toxicity: Repeated exposure to low levels
	will not cause adverse effects.
	Contact Sensitization: Does not provoke a
	sensitization reaction.
Additional Information	Not actually toxic. After ingestion it may cause
	vomiting. If large quantities are ingested, treat
	symptomatically. Do not Induce vomiting. If irritant
	effects are seen, these will be mild to moderate,
	depending on exposure. If in contact with eyes
	flushing with water is recommended.



12. Ecological Information

General Notes	The product is not considered harmful to Aquatic
	organisms nor to cause long-term adverse effects in
	the environment. The Surfactants used in the
	product are biodegradable in line with the
	requirements of EU directives 73/404/EEC and
	73/405/EEC and their subsequent amendments.

13. Transport Information

Regulations	• Not Subject to ADR/IATA/IMDG codes.
	 Not Subject to the controlled products or the transportation of dangerous goods regulations.

14. Other Information

Liability	The information provided is offered
	in good faith and is based on our
	current knowledge without guarantee
	of accuracy. We do not accept
	responsibility for damage and
	claims arising from handling,
	transport, storage or disposal of
	product. The information on this
	data sheet applies only to the
	product name above. This does not
	constitute a guarantee or warranty
	for any specific product feature
	and shall not establish a legally
	contractual relationship.